

1552 **Appendix 2.2 MAGICC Model Description**

1553

1554 MAGICC (Model for the Assessment of Greenhouse-gas Induced Climate Change) is a
1555 coupled gas-cycle/climate model. Various versions of MAGICC have been used in all
1556 IPCC assessments. The version used here is the one that was used in the IPCC Third
1557 Assessment Report (TAR; Cubasch and Meehl, 2001; Wigley and Raper, 2001).

1558

1559 The climate component is an energy-balance model with a one-dimensional, upwelling-
1560 diffusion ocean (a “UDEBM”). For further details of models of this type, see Hoffert *et*
1561 *al.* (1980) and Harvey *et al.* (1997). In MAGICC, the globe is divided into land and ocean
1562 “boxes” in both hemispheres in order to account for different thermal inertias and climate
1563 sensitivities over land and ocean, and hemispheric and land/ocean differences in forcing
1564 for short-lived species such as sulfate aerosols and tropospheric ozone.

1565

1566 In order to allow inputs as emissions, the climate model is coupled interactively to a
1567 series of gas-cycle models for CO₂, CH₄, N₂O, a suite of halocarbons and SF₆. Details
1568 of the carbon cycle model are given in Wigley (1991, 1993, 2000). The carbon cycle
1569 model includes both CO₂ fertilization and temperature feedbacks, with model parameters
1570 tuned to give results consistent with the other two carbon cycle models used in the TAR;
1571 viz. ISAM (Kheshgi and Jain, 2003) and the Bern model (Joos *et al.*, 2001) over a wide
1572 range of emissions scenarios. Details are given in Wigley *et al.* (2007). The other gas
1573 cycle models are those used in the TAR (Prather and Ehhalt, 2001; Wigley *et al.*, 2002).
1574 Radiative forcings for the various gases are as used in the TAR. For sulfate aerosols, both

1575 direct and indirect forcings are included using forcing/emissions relationships developed
1576 in Wigley (1989, 1991), with central estimates for 1990 forcing values. Sea level rise
1577 estimates use thermal expansion values calculated directly from the climate model. Ice-
1578 melt and other contributions are derived using formulae given in the TAR (Church and
1579 Gregory, 2001), except for the glacier and small ice-cap contribution which employs an
1580 improved formulation that can be applied beyond 2100 (Wigley and Raper, 2005).

1581

1582 The standard inputs to MAGICC are emissions of the various radiatively important gases
1583 and various climate model parameters. For the TAR, these parameters were tuned so that
1584 MAGICC was able to emulate results from a range of AOGCMs (see Cubasch and
1585 Meehl, 2001; Raper *et al.*, 2001). For the present calculations, a central set of parameters
1586 has been used. The most important of these is the climate sensitivity, where we have used
1587 a value of 2.6C equilibrium global-mean warming for a CO2 doubling, the median of
1588 values for AOGCMs used in the TAR.

1589 **Appendix 2.2 References**

- 1590 **Church, J.A.** and Gregory, J.M., 2001: Changes in sea level. *Climate Change 2001: The*
1591 *Scientific Basis*, (eds. J. T. Houghton, *et al.*), Cambridge University Press,
1592 Cambridge, U.K., 639–693.
1593
- 1594 **Cubasch, U.** and Meehl, G.A., 2001: Projections for future climate change. *Climate*
1595 *Change 2001: The Scientific Basis*, (eds. J. T. Houghton, *et al.*), Cambridge
1596 University Press, Cambridge, U.K., 525–582.
1597
- 1598 **Harvey, L.D.D.**, Gregory, J., Hoffert, M., Jain, A., Lal, M., Leemans, R., Raper, S.B.C.,
1599 Wigley, T.M.L. and de Wolde, J., 1997: *An introduction to simple climate models*
1600 *used in the IPCC Second Assessment Report: IPCC Technical Paper 2* (eds.
1601 J.T. Houghton, L.G. Meira Filho, D.J. Griggs and M. Noguer), Intergovernmental
1602 Panel on Climate Change, Geneva, Switzerland, 50 pp.
1603
- 1604 **Hoffert, M.L.**, Callegari, A.J. and Hsieh, C.-T., 1980: The role of deep sea heat storage
1605 in the secular response to climate forcing. *Journal of Geophysical Research* **86**,
1606 6667– 6679.
1607
- 1608 **Joos, F.**, Prentice, I.C., Sitch, S., Meyer, R., Hooss, G., Plattner, G.-K., Gerber, S. and
1609 Hasselmann, K., 2001: Global warming feedbacks on terrestrial carbon uptake
1610 under the Intergovernmental Panel on Climate Change (IPCC) emissions
1611 scenarios. *Global Biogeochemical Cycles* **15**, 891–908,
1612 doi:10.1029/2000GB001375.
1613
- 1614 **Kheshgi, H.S.** and Jain, A.K., 2003: Projecting future climate change: implications of
1615 carbon cycle model intercomparisons. *Global Biogeochemical Cycles* **17**, 1047,
1616 doi:10.1029/2001GB001842 (see also <http://frodo.atmos.uiuc.edu/isam>).
1617
- 1618 **Prather, M.** and Ehhalt, D., 2001: Atmospheric chemistry and greenhouse gases. *Climate*
1619 *Change 2001: The Scientific Basis*, (eds. J. T. Houghton, *et al.*), Cambridge
1620 University Press, Cambridge, U.K., 239–287.
1621
- 1622 **Raper, S.C.B.**, Gregory, J.M., and T.J. Osborn (2001), Use of an upwelling-diffusion
1623 energy balance climate model to simulate and diagnose A/OGCM results. *Climate*
1624 *Dynamics*, *17*, 601–613.
1625
- 1626 **Wigley, T.M.L.**, 1989: Possible climatic change due to SO₂-derived cloud condensation
1627 nuclei. *Nature* **339**, 365–367.
1628
- 1629 **Wigley, T.M.L.**, 1991: Could reducing fossil-fuel emissions cause global warming?
1630 *Nature* **349**, 503–506.
1631
- 1632 **Wigley, T.M.L.**, 1991: A simple inverse carbon cycle model. *Global Biogeochemical*
1633 *Cycles* **5**, 373–382.

1634

1635 **Wigley, T.M.L.**, 1993: Balancing the carbon budget. Implications for projections of
1636 future carbon dioxide concentration changes. *Tellus* **45B**, 409–425.

1637

1638 **Wigley, T.M.L.**, 2000: Stabilization of CO₂ concentration levels. (In) *The Carbon Cycle*,
1639 (eds. T.M.L. Wigley and D.S. Schimel). Cambridge University Press, Cambridge,
1640 U.K., 258–276.

1641

1642 **Wigley, T.M.L.** and Raper, S.C.B., 2001: Interpretation of high projections for global-
1643 mean warming. *Science* **293**, 451–454.

1644

1645 **Wigley, T.M.L.**, Smith, S.J. and Prather, M.J., 2002: Radiative forcing due to reactive
1646 gas emissions. *Journal of Climate* **15**, 2690–2696.

1647

1648 **Wigley, T.M.L.** and Raper, S.C.B., 2005: Extended scenarios for glacier melt due to
1649 anthropogenic forcing. *Geophysical Research Letters* **32**, L05704,
1650 doi:10.1029/2004GL021238.

1651

1652 **Wigley, T.M.L.**, Richels, R. and Edmonds, J.A., 2007: Overshoot pathways to CO₂
1653 stabilization in a multi-gas context. (In) *Human Induced Climate Change: An*
1654 *Interdisciplinary Assessment* (eds. Michael Schlesinger, Francisco C. de la
1655 Chesnaye, Haroon Kheshgi, Charles D. Kolstad, John Reilly, Joel B. Smith and
1656 Tom Wilson), Cambridge University Press, 84–92.